Sound attenuation

Closed circuit cooling towers

Engineering data

Remark: Do not use for construction. Refer to factory certified dimensions & weights. This page includes data current at time of publication, which should be reconfirmed at the time of purchase. In the interest of product improvement, specifications, weights and dimensions are subject to change without notice.

FXVS cooling tower performance at standard conditions - 30% EG
FXVS cooling tower performance at standard conditions - 30% PG
FXVS cooling tower performance at standard conditions - water

FXVS cooling tower - pressure drop

Last update: 28/03/2024

Sound attenuation

This file has been generated from the BAC website on: 28/03/2024
For more up to date information, visit: https://www.baltimoreaircoil.eu/en/products/FXVS-sound-attenuation1

1. Intake attenuator; 2. discharge attenuator

This file has been generated from the BAC website on: 28/03/2024
For more up to date information, visit: https://www.baltimoreaircoil.eu/en/products/FXVS-sound-attenuation1

Model	Dimensions (mm)		Weights (kg)	
	D	Ht	Intake	Discharge
FXVS 0806B-12D-G	1778	7166	180	70
FXVS 0806B-12D-H	1778	7166	180	70
FXVS 0806B-12D-J	1778	7166	180	70
FXVS 0806B-12D-K	1778	7166	180	70
FXVS 0806B-12D-L	1778	7166	180	70
FXVS 0806B-16D-G	1778	7166	180	70
FXVS 0806B-16D-H	1778	7166	180	70
FXVS 0806B-16D-J	1778	7166	180	70
FXVS 0806B-16D-K	1778	7166	180	70
FXVS 0806B-16D-L	1778	7166	180	70
FXVS 0806B-20D-G	1778	7166	180	70
FXVS 0806B-20D-H	1778	7166	180	70
FXVS 0806B-20D-J	1778	7166	180	70
FXVS 0806B-20D-K	1778	7166	180	70
FXVS 0806B-20D-L	1778	7166	180	70
FXVS 0806B-24D-G	1778	8047	180	70
FXVS 0806B-24D-H	1778	8047	180	70
FXVS 0806B-24D-J	1778	8047	180	70
FXVS 0806B-24D-K	1778	8047	180	70
FXVS 0806B-24D-L	1778	8047	180	70
FXVS 0806B-28D-G	1778	8047	180	70
FXVS 0806B-28D-H	1778	8047	180	70
FXVS 0806B-28D-J	1778	8047	180	70
FXVS 0806B-28D-K	1778	8047	180	70
FXVS 0806B-28D-L	1778	8047	180	70
FXVS 0806B-32D-G	1778	8047	180	70
FXVS 0806B-32D-H	1778	8047	180	70
FXVS 0806B-32D-J	1778	8047	180	70
FXVS 0806B-32D-K	1778	8047	180	70
FXVS 0806B-32D-L	1778	8047	180	70
FXVS 0806B-36D-G	1778	8047	180	70
FXVS 0806B-36D-H	1778	8047	180	70
FXVS 0806B-36D-J	1778	8047	180	70
FXVS 0806B-36D-K	1778	8047	180	70
FXVS 0806B-36D-L	1778	8047	180	70
FXVS 0809B-16D-K	1473	7166	180	100
FXVS 0809B-16D-L	1473	7166	180	100
FXVS 0809B-20D-K	1473	7166	180	100
FXVS 0809B-20D-L	1473	7166	180	100
FXVS 0809B-24D-K	1473	8047	180	100
FXVS 0809B-24D-L	1473	8047	180	100
FXVS 0809B-24T-K	1473	8047	180	100
FXVS 0809B-24T-L	1473	8047	180	100
FXVS 0809B-28D-K	1473	8047	180	100
FXVS 0809B-28D-L	1473	8047	180	100
FXVS 0809B-30T-K	1473	8047	180	100
FXVS 0809B-30T-L	1473	8047	180	100
FXVS 0809B-32D-K	1473	8047	180	100
FXVS 0809B-32D-L	1473	8047	180	100
FXVS 0809B-36D-K	1473	8047	180	100
FXVS 0809B-36D-L	1473	8047	180	100
FXVS 0809B-36T-K	1473	8047	180	100
FXVS 0809B-36T-L	1473	8047	180	100
FXVS 0812B-12D-K	1778	7166	330	130
FXVS 0812B-12D-L	1778	7166	330	130
FXVS 0812B-12D-M	1778	7166	330	130

This file has been generated from the BAC website on: 28/03/2024
For more up to date information, visit: https://www.baltimoreaircoil.eu/en/products/FXVS-sound-attenuation1

FXVS 0812B-12D-O	1778	7166	330	130
FXVS 0812B-16D-K	1778	7166	330	130
FXVS 0812B-16D-L	1778	7166	330	130
FXVS 0812B-16D-M	1778	7166	330	130
FXVS 0812B-16D-O	1778	7166	330	130
FXVS 0812B-16Q-K	1778	7166	330	130
FXVS 0812B-16Q-L	1778	7166	330	130
FXVS 0812B-16Q-M	1778	7166	330	130
FXVS 0812B-16Q-O	1778	7166	330	130
FXVS 0812B-20D-K	1778	7166	330	130
FXVS 0812B-20D-L	1778	7166	330	130
FXVS 0812B-20D-M	1778	7166	330	130
FXVS 0812B-20D-O	1778	7166	330	130
FXVS 0812B-24Q-K	1778	8047	330	130
FXVS 0812B-24Q-L	1778	8047	330	130
FXVS 0812B-24Q-M	1778	8047	330	130
FXVS 0812B-24Q-O	1778	8047	330	130
FXVS 0812B-24T-K	1778	8047	330	130
FXVS 0812B-24T-L	1778	8047	330	130
FXVS 0812B-24T-M	1778	8047	330	130
FXVS 0812B-24T-O	1778	8047	330	130
FXVS 0812B-30T-K	1778	8047	330	130
FXVS 0812B-30T-L	1778	8047	330	130
FXVS 0812B-30T-M	1778	8047	330	130
FXVS 0812B-30T-O	1778	8047	330	130
FXVS 0812B-32Q-K	1778	8047	330	130
FXVS 0812B-32Q-L	1778	8047	330	130
FXVS 0812B-32Q-M	1778	8047	330	130
FXVS 0812B-32Q-O	1778	8047	330	130
FXVS 0812B-36T-K	1778	8047	330	130
FXVS 0812B-36T-L	1778	8047	330	130
FXVS 0812B-36T-M	1778	8047	330	130
FXVS 0812B-36T-O	1778	8047	330	130
FXVS 0818B-24Q-K	1778	8200	500	190
FXVS 0818B-24Q-L	1778	8200	500	190
FXVS 0818B-24Q-M	1778	8200	500	190
FXVS 0818B-24Q-O	1778	8200	500	190
FXVS 0818B-24T-K	1778	8200	500	190
FXVS 0818B-24T-L	1778	8200	500	190
FXVS 0818B-24T-M	1778	8200	500	190
FXVS 0818B-24T-O	1778	8200	500	190
FXVS 0818B-32Q-K	1778	8200	500	190
FXVS 0818B-32Q-L	1778	8200	500	190
FXVS 0818B-32Q-M	1778	8200	500	190
FXVS 0818B-32Q-O	1778	8200	500	190
FXVS 0818B-36H-K	1778	8200	500	190
FXVS 0818B-36H-L	1778	8200	500	190
FXVS 0818B-36H-M	1778	8200	500	190
FXVS 0818B-36H-O	1778	8200	500	190
FXVS 1012C-12D-K	1778	7979	370	130
FXVS 1012C-12D-L	1778	7979	370	130
FXVS 1012C-12D-M	1778	7979	370	130
FXVS 1012C-12D-O	1778	7979	370	130
FXVS 1012C-16D-K	1778	7979	370	130
FXVS 1012C-16D-L	1778	7979	370	130
FXVS 1012C-16D-M	1778	7979	370	130
FXVS 1012C-16D-O	1778	7979	370	130
FXVS 1012C-16Q-K	1778	7979	370	130
FXVS 1012C-16Q-L	1778	7979	370	130
FXVS 1012C-16Q-M	1778	7979	370	130
FXVS 1012C-16Q-O	1778	7979	370	130

This file has been generated from the BAC website on: 28/03/2024
For more up to date information, visit: https://www.baltimoreaircoil.eu/en/products/FXVS-sound-attenuation1

FXVS 1012C-20D-K	1778	7979	370	130
FXVS 1012C-20D-L	1778	7979	370	130
FXVS 1012C-20D-M	1778	7979	370	130
FXVS 1012C-20D-O	1778	7979	370	130
FXVS 1012C-24D-K	1778	8860	370	130
FXVS 1012C-24D-L	1778	8860	370	130
FXVS 1012C-24D-M	1778	8860	370	130
FXVS 1012C-24D-O	1778	8860	370	130
FXVS 1012C-24Q-K	1778	8860	370	130
FXVS 1012C-24Q-L	1778	8860	370	130
FXVS 1012C-24Q-M	1778	8860	370	130
FXVS 1012C-24Q-O	1778	8860	370	130
FXVS 1012C-24T-K	1778	8860	370	130
FXVS 1012C-24T-L	1778	8860	370	130
FXVS 1012C-24T-M	1778	8860	370	130
FXVS 1012C-24T-O	1778	8860	370	130
FXVS 1012C-28D-K	1778	8860	370	130
FXVS 1012C-28D-L	1778	8860	370	130
FXVS 1012C-28D-M	1778	8860	370	130
FXVS 1012C-30T-K	1778	8860	370	130
FXVS 1012C-30T-L	1778	8860	370	130
FXVS 1012C-30T-M	1778	8860	370	130
FXVS 1012C-30T-O	1778	8860	370	130
FXVS 1012C-32Q-K	1778	8860	370	130
FXVS 1012C-32Q-L	1778	8860	370	130
FXVS 1012C-32Q-M	1778	8860	370	130
FXVS 1012C-32Q-O	1778	8860	370	130
FXVS 1012C-36T-K	1778	8860	370	130
FXVS 1012C-36T-L	1778	8860	370	130
FXVS 1012C-36T-M	1778	8860	370	130
FXVS 1012C-36T-O	1778	8860	370	130
FXVS 1018C-24Q-K	1778	9010	570	190
FXVS 1018C-24Q-L	1778	9010	570	190
FXVS 1018C-24Q-M	1778	9010	570	190
FXVS 1018C-24Q-O	1778	9010	570	190
FXVS 1018C-24Q-P	1778	9010	570	190
FXVS 1018C-24T-K	1778	9010	570	190
FXVS 1018C-24T-L	1778	9010	570	190
FXVS 1018C-24T-M	1778	9010	570	190
FXVS 1018C-24T-O	1778	9010	570	190
FXVS 1018C-24T-P	1778	9010	570	190
FXVS 1018C-32Q-K	1778	9010	570	190
FXVS 1018C-32Q-L	1778	9010	570	190
FXVS 1018C-32Q-M	1778	9010	570	190
FXVS 1018C-32Q-O	1778	9010	570	190
FXVS 1018C-32Q-P	1778	9010	570	190
FXVS 1018C-36H-K	1778	9010	570	190
FXVS 1018C-36H-L	1778	9010	570	190
FXVS 1018C-36H-M	1778	9010	570	190
FXVS 1018C-36H-O	1778	9010	570	190
FXVS 1018C-36H-P	1778	9010	570	190
FXVS 1212C-12D-K	1930	7979	370	140
FXVS 1212C-12D-L	1930	7979	370	140
FXVS 1212C-12D-M	1930	7979	370	140
FXVS 1212C-12D-O	1930	7979	370	140
FXVS 1212C-12D-P	1930	7979	370	140
FXVS 1212C-16D-K	1930	7979	370	140
FXVS 1212C-16D-L	1930	7979	370	140
FXVS 1212C-16D-M	1930	7979	370	140
FXVS 1212C-16D-O	1930	7979	370	140
FXVS 1212C-16D-P	1930	7979	370	140

FXVS 1212C-16Q-K	1930	7979	370	140
FXVS 1212C-16Q-L	1930	7979	370	140
FXVS 1212C-16Q-M	1930	7979	370	140
FXVS 1212C-16Q-O	1930	7979	370	140
FXVS 1212C-16Q-P	1930	7979	370	140
FXVS 1212C-20D-K	1930	7979	370	140
FXVS 1212C-20D-L	1930	7979	370	140
FXVS 1212C-20D-M	1930	7979	370	140
FXVS 1212C-20D-O	1930	7979	370	140
FXVS 1212C-20D-P	1930	7979	370	140
FXVS 1212C-24D-K	1930	8860	370	140
FXVS 1212C-24D-L	1930	8860	370	140
FXVS 1212C-24D-M	1930	8860	370	140
FXVS 1212C-24D-O	1930	8860	370	140
FXVS 1212C-24D-P	1930	8860	370	140
FXVS 1212C-24Q-K	1930	8860	370	140
FXVS 1212C-24Q-L	1930	8860	370	140
FXVS 1212C-24Q-M	1930	8860	370	140
FXVS 1212C-24Q-O	1930	8860	370	140
FXVS 1212C-24Q-P	1930	8860	370	140
FXVS 1212C-24T-K	1930	8860	370	140
FXVS 1212C-24T-L	1930	8860	370	140
FXVS 1212C-24T-M	1930	8860	370	140
FXVS 1212C-24T-O	1930	8860	370	140
FXVS 1212C-24T-P	1930	8860	370	140
FXVS 1212C-28D-K	1930	8860	370	140
FXVS 1212C-28D-L	1930	8860	370	140
FXVS 1212C-28D-M	1930	8860	370	140
FXVS 1212C-28D-O	1930	8860	370	140
FXVS 1212C-30T-K	1930	8860	370	140
FXVS 1212C-30T-L	1930	8860	370	140
FXVS 1212C-30T-M	1930	8860	370	140
FXVS 1212C-30T-O	1930	8860	370	140
FXVS 1212C-30T-P	1930	8860	370	140
FXVS 1212C-32Q-K	1930	8860	370	140
FXVS 1212C-32Q-L	1930	8860	370	140
FXVS 1212C-32Q-M	1930	8860	370	140
FXVS 1212C-32Q-O	1930	8860	370	140
FXVS 1212C-32Q-P	1930	8860	370	140
FXVS 1212C-36T-K	1930	8860	370	140
FXVS 1212C-36T-L	1930	8860	370	140
FXVS 1212C-36T-M	1930	8860	370	140
FXVS 1212C-36T-O	1930	8860	370	140
FXVS 1212C-36T-P	1930	8860	370	140
FXVS 1218C-24Q-K	1930	9010	570	200
FXVS 1218C-24Q-L	1930	9010	570	200
FXVS 1218C-24Q-M	1930	9010	570	200
FXVS 1218C-24Q-O	1930	9010	570	200
FXVS 1218C-24Q-P	1930	9010	570	200
FXVS 1218C-24T-K	1930	9010	570	200
FXVS 1218C-24T-L	1930	9010	570	200
FXVS 1218C-24T-M	1930	9010	570	200
FXVS 1218C-24T-O	1930	9010	570	200
FXVS 1218C-24T-P	1930	9010	570	200
FXVS 1218C-32Q-K	1930	9010	570	200
FXVS 1218C-32Q-L	1930	9010	570	200
FXVS 1218C-32Q-M	1930	9010	570	200
FXVS 1218C-32Q-O	1930	9010	570	200
FXVS 1218C-32Q-P	1930	9010	570	200
FXVS 1218C-36H-K	1930	9010	570	200
FXVS 1218C-36H-L	1930	9010	570	200

FXVS 1218C-36H-M	**1930**	**9010**	**570**	**200**
FXVS 1218C-36H-O	**1930**	**9010**	**570**	**200**
FXVS 1218C-36H-P	**1930**	**9010**	**570**	**200**

This file has been generated from the BAC website on: 28/03/2024
For more up to date information, visit: https://www.baltimoreaircoil.eu/en/products/FXVS-sound-attenuation1