

DFCV-AD Q/S 9123

Previous generation products

Engineering data

REMARK: Do not use for construction. Refer to factory certified dimensions & weights. This page includes data current at time of publication, which should be reconfirmed at the time of purchase. In the interest of product improvement, specifications, weights and dimensions are subject to change without notice.

General notes

- 1. Adiabatic cooler capacities are tested according to EN 1048 for dry coolers.
- 2. TrilliumSeries Coolers of models with D6xx coil configuration have inlet and outlet connections at opposite ends.
- 3. Adiabatic pre-cooling sections are shipped separately and need to be installed on site.

Last update: 23/04/2024

DFCV-AD Q/S 9123



1. Fluid inlet connection; 2. Fluid outlet connection; 3. Pre-cooler water drain; 4. Electrical panel; 5. Pre-cooler city water connection.



Model	Nr. of Fans	Weights (kg)			Dimensions (mm)			Air Flow (m³/s)	Tube Internal	Surface (m²)	Connecti ons
	raiis	Oper. Weight (kg)	Ship. Weight(kg	Heaviest Section (kg)	L	W	Н	Δ	Volume (dm³)	()	Ulis
DFCV Q9123- D613-D-	6	2580	2350	2030	4081	2730	2810	16.8	272.0	2232.0	4
AD DFCV Q9123- L613-D-	6	2580	2350	2030	4081	2730	2810	16.8	272.0	2232.0	4
AD DFCV Q9123- M613- D-AD	6	2580	2350	2030	4081	2730	2810	16.8	272.0	2232.0	4
DFCV Q9123- S613-D- AD	6	2580	2350	2030	4081	2730	2810	16.8	272.0	2232.0	4
DFCV S9123- D613-D- AD	6	2334	1948	1794	4081	2730	2810	31.8	272.0	2232.0	4
DFCV S9123- D616-D- AD	6	2666	2120	1967	4081	2730	2810	33.0	432.0	2000.0	4
DFCV S9123- L613-D- AD	6	2334	1948	1794	4081	2730	2810	31.8	272.0	2232.0	4
DFCV S9123- L616-D- AD	6	2666	2120	1967	4081	2730	2810	33.0	432.0	2000.0	4
DFCV S9123- M613- D-AD	6	2334	1948	1794	4081	2730	2810	31.8	272.0	2232.0	4
DFCV S9123- M616- D-AD	6	2666	2120	1967	4081	2730	2810	33.0	432.0	2000.0	4
DFCV S9123- S613-D- AD	6	2334	1948	1794	4081	2730	2810	31.8	272.0	2232.0	4
DFCV S9123- S616-D- AD	6	2666	2120	1967	4081	2730	2810	33.0	432.0	2000.0	4